# *The Chedoke Arm and Hand Activity Inventory*

# *Administration Guidelines*

## CAHAI LICENSE

**IMPORTANT - PLEASE READ CAREFULLY**: This license is a legally binding agreement between you and Susan Barreca for the Chedoke Arm and Hand Activity Inventory ("CAHAI").

BY USING THE CAHAI, YOU AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. IF YOU DO NOT AGREE, PLEASE DO NOT USE THE CAHAI.

### TERMS OF USE

1. **RIGHTS GIVEN BY THE LICENSE**

   Provided you comply with all the terms and conditions of this license, Ms. Barreca grants you a royalty-free license to use the CAHAI for clinical, academic or research purposes.

2. **COMMERCIAL DEALING PROHIBITED**

   You must not sell, license or distribute copies of the CAHAI unless you have written permission from Ms. Barreca.

3. **DISCLAIMER OF WARRANTIES**

   Ms. BARRECA IS PROVIDING YOU WITH THE CAHAI "AS IS" WITH ALL FAULTS AND WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES THAT THE CAHAI IS MERCHANTIBLE, ACCURATE OR FIT FOR A PARTICULAR PURPOSE.

4. **ASSUMPTION OF RISK**

   YOU ASSUME ALL RISK AND RESPONSIBILITY FOR THE SELECTION, USE, QUALITY, PERFORMANCE, AND RESULTS OBTAINED FROM THE CAHAI.

5. **DISCLAIMER OF LI12 TfLITIES ASSUMP02 7̃8.1LIR0 TdTfLITIES E SELE(S MER186D WARRA7-2[887QS IS'7(WIT)0(7(A.16E**

## ***General Instructions for Administering the CAHAI***

The purpose of this measure is **to evaluate the functional ability of the hemiplegic arm and hand to perform tasks** that have been identified as important by stroke survivors. It is NOT designed to measure the client's ability to complete the task using only their unaffected hand, but rather to encourage bilateral function.

Explain to your clients that some tasks are difficult and they should not get frustrated if unable to complete all the tasks. Encourage them to give their best effort using BOTH arms and hands. *The client may attempt each task twice*.

When attempting each task, always consider safety, especially for Stage I upper limb.

### ***Standard starting position***

**Posture:** seated in chair without armrests or in wheelchair with armrests removed, encourage erect posture, feet flat on the floor
**Height of table:** at the level of the last costal rib
**Distance from table:** client's elbow comes to the table edge
**Hands:** resting on the table

Variations from the standard starting position will be indicated at the top of the task page.

***To ensure the client's understanding:***

Every effort should be made to ensure the client understands the task.

- ∉ each task should be demonstrated once, twice if needed
- ∉ the client may be cued to use both hands twice
- ∉ the client may be reminded not to rest elbows on the table twice

***Scoring***

Score the performance of the affected upper limb using the 7 point Activity scale (*fig. 1.0)*. Observe the performance of the affected upper limb and:

1) Use the Task Component ChT/(0 0 1019 Tw74SerforT/MC.0018 1.32 refBT/Span )6(a

## THE CHEDOKE ARM AND HAND ACTIVITY INVENTORY

The Chedoke Arm and Hand Activity Inventory is designed to compliment the Chedoke-McMaster Stroke Assessment. The scoring key is similar to that used in the Functional Independence Measure (Adult FIM$^{SM}$).
SCORE EACH ITEM IN THE BOXES PROVIDED; THEN SUM THE SCORES AT THE END OF THE COLUMN.

### DESCRIPTION OF THE LEVELS OF FUNCTION FOR THE ACTIVITY SCALE

**7** **COMPLETE INDEPENDENCE** - All of the tasks are performed safely, without modification, assistive devices or aids, and within reasonable time.

**6** **MODIFIED INDEPENDENCE** - Activity requires any one or more of the following: an assistive device, more than reasonable time, or there are safety (risk) considerations.

**- Ahe sclint tequires anomore thelpthan rstnd b, wcueng kr t]TJ0 Tc -0 Tw 1-6.82 0.**

**64 MINIMAS SISTACE**

***Score 6*** if more than reasonable time is required. (e.g. more than 3 times the normal time is required)

***Score 6*** if assistive devices (e.g. built up handles, dycem, cock-up/ dynamic splints) are used

***Score 6*** if there are safety concerns in doing upper limb tasks (e.g. impulsivity, balance, poor motor control)

***Score 5*** if you need to cue throughout the clients' second attempt of the task

***Score 4*** if client touches table very briefly

***Score 3*** if client continually uses table for support

***Score 1*** if client uses only one arm/hand

***Score 1*** if two people are required to assist in completing task

***Score 1*** if you feel it is unsafe to try the task.

Administration time (approximately 30 minutes)

*Questions*: Please contact Susan Barreca at sbarreca@cogeco.ca or Lisa Masters at mastersl@hhsc.ca

Algorithm for application of the Chedoke Arm and Hand Activity Inventory
November 2007

## CALL 911

Instructions: " Call 911 using both of your hands"
Positioning: Standard, phone placed at extended arm distance in front of client.

Please score the above task as follows:

**7** **COMPLETE INDEPENDENCE** - Able to pick up receiver and hold to ear with one hand while using other hand to dial the above listed number, without resting arms on table.

**6** **MODIFIED INDEPENDENCE** - Requires use of assistive device (e.g. splint) OR requires more than reasonable time to complete task OR there are safety considerations.

**5** **SUPERVISION** - Requires supervision (e.g. standby, cueing or coaxing).

**4** **MINIMAL ASSISTANCE** - Requires light touch assistance (e.g. to maintain phone at ear, OR to place phone in hand, OR to guide finger towards number pads). Client performs 75% or more of the effort to complete the task.

**3** **MODERATE ASSISTANCE** - Weak upper limb partially **manipulates and stabilizes during task.** Requires assistance (e.g. to bring the receiver to ear OR uses table as support). Client performs 50 - 74% of the effort to complete the task.

**2** **MAXIMAL ASSISTANCE** - Weak upper limb **stabilizes** during task. Requires assistance (e.g. to pick up the receiver, hold it to the ear and dial). Client performs 25 - 49% of the effort to complete the task.

**1** **TOTAL ASSISTANCE** - Client performs less than 25% of the effort to complete the task.

TASK COMPONENT CHART

TASK COMPONENT CHART

Task 4: Pour a glass of water

| If affected hand is holding the glass | If affected hand is holding the pitcher |
|---|---|
| **Components of arm mobility and hand manipulation**<br>¢# Reaches and grasps glass<br>¢ Lift glass off the table<br>**Components of stabilization**<br>¢# Maintain sufficient grasp to hold the glass away from table<br>¢# Maintain glass steady while pouring | **Components of arm mobility and hand manipulation**<br>¢# Reaches and grasps pitcher<br>¢ Lifts picture off the table<br>¢ Pours water from pitcher<br>**Components of stabilization**<br>¢# Maintain sufficient grasp to hold the pitcher off the table<br>¢# Maintain pitcher steady while pouring |

# THE CHEDOKE ARM AND HAND ACTIVITY INVENTORY

TASK COMPONENT CHART

Task 5: Wring out washcloth

| Score the affected hand on ability to: |
| --- |
| **Components of arm mobility and hand manipulation**<br>¢# Reaches and grasps washcloth<br>¢# Hand in wringing action<br><br>**Components of stabilization**<br>¢# Holds washcloth in place<br>¢# Holds washcloth to permit wringing action |



**THE CHEDOKE ARM AND HAND ACTIVITY INVENTORY**

---

**DO UP FIVE BUTTONS**

Instructions: "Do up five buttons using both of your hands, starting at the top"
Positioning: Sitting away from table, client wearing shirt

---

Please score the above task as follows:

**7** **COMPLETE INDEPENDENCE** - Able do up five buttons on the shirt.

**6** **MODIFIED INDEPENDENCE** - Requires use of assistive device OR requires

## DRY BACK WITH TOWEL

Instructions: "Dry your entire back with the towel using both of your hands"
Positioning: Sitting away from table. Towel is placed on the table at extended arm distance.

Please score the above task as follows:

**7** **COMPLETE INDEPENDENCE** - Able to take towel, place it over back and use both hands to maneuver towel to dry entire back.

**6** **MODIFIED INDEPENDENCE** - Requires more than reasonable time OR there are safety considerations (e.g. balance).

**5** **SUPERVISION** - Requires supervision (e.g. standby, cueing or coaxing)

**4** **MINIMAL ASSISTANCE** - Weak upper limb requires light touch assistance to manipulate or stabilize during the task OR only dries half of back. Client performs 75% or more of the effort to complete the task.

**3** **MODERATE ASSISTANCE** - Weak upper limb partially **manipulates and stabilizes during task.** Requires assistance. Client performs 50 - 74% of the effort to complete the task.

**2** **MAXIMAL ASSISTANCE** - Weak upper limb **stabilizes** during task. Requires assistance. Client performs 25 - 49% of the effort to complete the task.

**1** **TOTAL ASSISTANCE** - Client performs less than 25% of the effort to complete the task.

TASK COMPONENT CHART

Task 7: Dry back with towel

| If the affected hand is reaching and grasping for towel | If the affected hand is grasping the towel end |
|---|---|

**Components of arm mobility and hand manipulation**

¢# Reaches and grasps towel

¢# Manipulates towel in hand to place on back

¢ Rubbing motion along upper and lower back

**Components of stabilization**

¢#

x Reaches and G

x Manipulates towel in hand to place on back

x Rubbing motion along upper and lower back

Components of stabilization

**THE CHEDOKE ARM AND HAND ACTIVITY INVENTORY**

---

## PUT TOOTHPASTE ON TOOTHBRUSH

Instructions: "Put the toothpaste on the toothbrush using both of your hands."
Positioning: Standard position, toothbrush and toothpaste positioned horizontally on table at extended arm distance.
*note: The new tube of toothpaste should be marked at half its length and the tube rolled up, as it is used, until it reaches this point. It should not be used for testing after that.

---

Please score the above task as follows:

**7** **COMPLETE INDEPENDENCE** - Able to pick up toothpaste, undo cap, pick up toothbrush in opposite hand and apply toothpaste to toothbrush, without resting arms on the table.

**6** **MODIFIED INDEPENDENCE** - Requires the use of assistive device (e.g. splint or built up handle) OR requires more than reasonable time.

**5** **SUPERVISION** - Requires supervision (e.g. standby, cueing or coaxing)

**4** **MINIMAL ASSISTANCE** - Requires light touch assistance (e.g. to remove cap from toothpaste OR steadying assistance while applying toothpaste). Client performs 75% or more of the effort to complete the task.

**3** **MODERATE ASSISTANCE**

TASK COMPONENT CHART

Task 8: Put toothpaste on toothbrush

| If affected hand is holding toothpaste | If affected hand is holding toothbrush TASK COMPONE |
|---|---|

TASK COMPONENT CHART

Task 9: Cut Medium Resistance Putty

| If affected hand is holding the knife | If affected hand is holding the fork |
|---|---|
| **Components of arm mobility and hand manipulation**<br><br>¢# Reaches and grasps knife and manipulate (in-hand) to prepare for the task<br><br>¢# Places knife in putty<br><br>¢ Cutting motion with knife (not pulling)<br><br>**Components of stabilization**<br><br>¢# Sufficient grasp to hold knife throughout task | **Components of arm mobility and hand manipulation**<br><br>¢# Reaches and grasps fork and manipulate (in-hand) to prepare for task<br><br>¢# Places fork in putty<br><br>¢ Places cut pieces to the side with fork<br><br>**Components of stabilization**<br><br>¢# Sufficient grasp to hold fork throughout task<br><br>¢# Maintains position of putty while knife cuts |



## ZIP UP THE ZIPPER

Instructions: "Zip up the zipper using both of your hands "
Positioning: Sitting away from table, therapist puts poncho on client.

Please score the above task as follows:

**7** **COMPLETE INDEPENDENCE** - Able to pick up both ends of zipper and join ends together. Using one hand to stabilize zipper, client uses other hand to grasp tab and close zipper.

**6** **MODIFIED INDEPENDENCE** - Requires use of assistive device (e.g. splint) OR requires more than reasonable time OR there are safety considerations.

**5** **SUPERVISION** - Requires supervision (e.g. standby, cueing or coaxing).

**4** **MINIMAL ASSISTANCE** - The weak upper limb requires light touch assistance (e.g. to stabilize proximal or distal segment of upper limb). Client performs 75% or more of the effort to complete the task.

**3** **MODERATE ASSISTANCE** - Weak upper limb partially **manipulates and stabilizes during task.** Requires assistance (e.g. to place zipper end in weak hand or to start closure of zipper) OR uses lap to stabilize. Client performs 50 - 74% of the effort to complete the task.

**2** **MAXIMAL ASSISTANCE** - Weak upper limb **stabilizes** during task. Requires assistance ( e.g. to join zipper ends but can complete closing zipper on own OR joins zipper but needs assistance to close zipper). Client performs 25 - 49% of the effort to complete the task.

**1** **TOTAL ASSISTANCE** - Client performs less than 25% of the effort to complete the task.

**THE CHEDOKE ARM AND HAND ACTIVITY INVENTORY**

---

## CLEAN A PAIR OF EYEGLASSES

Instructions: "Clean the glasses with the handkerchief using both of your hands."
Positioning: Standard position. Wet both lenses and place open glasses bridge down at extended arm distance. Handkerchief placed beside the glasses.

---

Please score the above task as follows:

**7** **COMPLETE INDEPENDENCE -** Able to pick up eyeglasses in one hand, pick up handkerchief with the other hand and clean both lenses completely, without resting arms on the table.

**6** **MODIFIED INDEPENDENCE -** Requires assistive device (e.g. splint) OR requires more than reasonable time OR there are safety considerations.

**5** **SUPERVISION** - Requires supervision (e.g. standby, cueing or coaxing)

**4** **MINIMAL ASSISTANCE** - Weak upper limb requires light touch assistance to manipulate or stabilize during the task. Client performs 75% or more of the effort to complete the task.

**3** **MODERATE ASSISTANCE** - Weak upper limb partially **manipulates and stabilizes during task.** Requires assistance OR uses table as support, then able to pick up glasses or handkerchief with weak

TASK COMPONENT CHART

Task 11: Clean a pair of eyeglasses

| If the affected hand is holding/grasping glasses | If the affected hand is wiping lens of glasses |
| --- | --- |

**THE CHEDOKE ARM AND HAND ACTIVITY INVENTORY**

---

**PLACE CONTAINER ON TABLE**

Instructions: "Place the container on the table."
Positioning: Client standing, with strong side facing table. Container filled with 10lb/5Kg weight (total weight = 8.6kg/19lbs) and placed on the floor in front of client.
Unacceptable: To twist trunk while feet remain planted on the floor, trunk extension to lift container.

---

Please score the above task as follows:

**7** **COMPLETE INDEPENDENCE** - Able to reach down for container, pick it up, turn, step and place the container on the table.

**6** **MODIFIED INDEPENDENCE** - Requires use of assistive device (e.g. splint ) OR requires more than reasonable time OR there are safety considerations.

**5** **SUPERVISION** - Requires supervision (e.g. standby, cueing or coaxing)

**4** **MINIMAL ASSISTANCE** - Requires light touch assistance (e.g. steadying while lifting container OR to maintain balance) or the container is not lifted high enough to easily clear table. Client performs 75% or more of the effort to complete the task.

**3** **MODERATE ASSISTANCE** - Weak upper limb partially **manipulates and stabilizes during task.** Requires assistance (e.g. to complete lifting into standing position). Client performs 50 - 74% of the effort to complete the task.

**2** **MAXIMAL ASSISTANCE** - Weak upper limb **stabilizes** during task. Requires assistance through entire phase of lifting container. Client performs 25 - 49% of the effort to complete the task.

**1** **TOTAL ASSISTANCE** - Client performs less than 25% of the effort to complete the task.

TASK COMPONENT CHART

Task 12: Place container on table

| Using both the affected and unaffected hand |
| --- |
| **Components of arm mobility and hand manipulation**<br>¢ Reaches down and grasps container<br>¢ Elbow flexion to lift container enough to easily clear table<br>¢ Places container on table<br><br>**Components of stabilization**<br>¢ Maintains sufficient grasp<br>¢ Stabilizes container during lifting without using body for support |

## CARRY THE BAG UP THE STAIRS

Instructions: "Carry the bag up 4 steps using your affected arm."
Positioning: Client standing or sitting in front of stairs, bag containing 4 lb./ 2 kg weight is placed on floor in front of client.
Required: To use the weak limb to carry the bag.

Please score the above task as follows:

**7** **COMPLETE INDEPENDENCE** - Able to pick up bag with the weak hand, while sitting or standing and carry bag in weak hand up 4 steps safely without use of handrail.

**6** **MODIFIED INDEPENDENCE** - Requires the use of a handrail or cane OR requires more than reasonable time OR there are safety considerations.

**5** **SUPERVISION** - Requires supervision (e.g. standby, cueing or coaxing).

**4** **MINIMAL ASSISTANCE** - Requires light touch assistance (e.g. for balance OR to pick up bag ). Client performs 75% or more of the effort to complete the task.

**3** **MODERATE ASSISTANCE** - Weak upper limb partially **manipulates and stabilizes during task.** Requires assistance (e.g**.** hand over hand technique required to maintain hold of bag) OR only able to carry bag up 2 steps. Client performs 50 - 74% of the effort to complete the task.

**2** **MAXIMAL ASSISTANCE** - Weak upper limb **stabilizes** during task. Requires assistance (e.g. to place bag in hand and hand over hand technique required to maintain hold of bag). Client performs 25 - 49% of the effort to complete the task.

**1** **TOTAL ASSISTANCE** -Client performs less than 25% of the effort to complete the task.

TASK COMPONENT CHART

Task 13: Carry the bag up the stairs.

| Score the affected hand on the ability of |
| --- |
| **Components of arm mobility and hand manipulation**<br>¢ Grasps bag through both handles<br><br>**Components of stabilization**<br>¢# Maintains grasp and holds bag with hand or crook of arm |

# Chedoke Arm and Hand Activity Inventory: Score Form

**CAHAI-13 Version**

**Name:** **Date:**

| Activity Scale | | | |
|---|---|---|---|
| 1. total assist (weak U/L < 25%)<br>2. maximal assist (weak U/L = 25-49%)<br>3. moderate assist (weak U/L = 50-74%)<br>4. minimal assist (weak U/L > 75%) | 5. supervision<br>6. modified independence (device)<br>7. complete independence (timely, safely) | | |
| | Affected Limb: | | Score |
| 1. Open jar of coffee | holds jar | holds lid | |
| 2. Call 911 | holds receiver | dials phone | |
| 3. Draw a line with a ruler | holds ruler | holds pen | |

4. Pour a glass of water 0.0014 Tc 0.001 Tw 1.44 Tf[(C 0 Tc 0 Tw 13.096 1.40/P <</MCID 35 >>BDC 0 Tc 0 Tw 13.096 1.168 Td

# Chedoke Arm and Hand Activity Inventory: Score Form

**CAHAI-9 Version**

**Name:** **Date:**

| Activity Scale | | | |
|---|---|---|---|
| 1. total assist (weak U/L < 25%)<br>2. maximal assist (weak U/L = 25-49%)<br>3. moderate assist (weak U/L = 50-74%)<br>4. minimal assist (weak U/L > 75%) | 5. supervision<br>6. modified independence (device)<br>7. complete independence (timely, safely) | | |
| | Affected Limb: | | Score |
| 1. Open jar of coffee | holds jar | holds lid | |

2.

# Chedoke Arm and Hand Activity Inventory: Score Form

**CAHAI-7 Version**

**Name:** **Date:**

Activity Scale

1. total assist (weak U/L < 25%)
2. maximal assist (weak U/L = 25-49%)
3. moderate assist (weak U/L = 50-74%)
4. minimal assist (weak U/L > 75%)
5. supervision
6. modified independence (device)
7. complete independence (timely, safely)

| | Affected Limb: | | Score |
|---|---|---|---|
| 1. Open jar of coffee | holds jar | holds lid | |
| 2. Call 911 | holds receiver | dials phone | |
| 3. Draw a line with a ruler | holds ruler | holds pen | |
| 4. Pour a glass of water | holds glass | holds pitcher | |
| 5. Wring out washcloth | | | |
| 6. Do up five buttons | | | |
| 7. Dry back with towel | reachs for towel | grasps towel end | |
| Total Score | | | **/49** |

Comments

## Research Team
## Chedoke Arm and Hand Activity Inventory (CAHAI)

Susan Barreca, MSc, PT
Paul Stratford, MSc, PT
Lisa Masters, MSc, OT
Carolyn Gowland, MSc, PT
Cynthia Lambert, BSc, PT
Jeremy Griffiths, BSc, PT
Cathy McBay, BSc, PT
Magen Dunkley, BSc. PT
Pat Miller, PhD (C) PT
Maria Huibregts, PhD, PT
Wendy Torresin, BSc, PT

## Chedoke Arm and Hand Activity Inventory (CAHAI) References

Barreca S, Gowland C, Stratford P, et al. (2004). Development of the Chedoke Arm and Hand Activity Inventory: Theoretical constructs, item generation, and selection. *Top Stroke Rehabil*; 11(4): 31-42.

Barreca S, Stratford P, Lambert C, Masters L & Streiner D. (2005). Test-retest reliability, validity, and sensitivity of the Chedoke Arm and Hand Activity Inventory: A new measure of upper-limb function for survivors of stroke. *Arch Phys Med Rehabil*; 86: 1616-1622.

Barreca S, Stratford P, Masters L, Lambert C, & Griffiths J. (2006). Comparing 2 versions of the Chedoke Arm and Hand Activity Inventory with the Action Research Arm Test. *Phys Therapy*; 86(2): 245-253.

Barreca S, Stratford P, Masters L, Lambert C, Griffiths J, & McBay C. (2006). Validation of three shortened versions of the Chedoke Arm and Hand Activity Inventory. *Physiother Can*; 58: 1-9.